eClassOWL: A Fully-Fledged Products and Services Ontology in OWL

Martin Hepp

Digital Enterprise Research Institute (DERI)
University of Innsbruck
Technikerstraße 21 a, A-6020 Innsbruck, Austria
martin.hepp@deri.org

Abstract

A major obstacle towards e-Commerce applications based on Semantic Web technology is the lack of industry-strength ontologies for products and services. Besides simple, script-based transformations of the UNSPSC¹ taxonomy, there are currently no serious ontologies for products and services. We show that there exist several pitfalls when reusing industrial products and services taxonomies, namely UNSPSC and eCl@ss², for eCommerce ontologies, and present eClassOWL, an industry-strength OWL ontology for products and services based on eCl@ss.

1 Introduction

Numerous researchers have pointed out the enormous potential of ontologies for e-business scenarios, for example [Fensel, 2001; Fensel et al., 2001a; Fensel et al., 2001b; Gupta and Qasem, 2002; Obrst et al., 2001; Omelayenko, 2000; Omelayenko, 2001; Zhao, 2003], and many sub-problems of making this a reality have been addressed, e.g. the challenges associated with mapping among e-business ontologies [Obrst et al., 2001]. However, there is a lack of serious ontology engineering efforts in the products and services domain that go beyond academic prototypes. Industrial taxonomies are an extremely valuable basis for ontology engineering, because they include a large number of consensual concept definitions plus a hierarchy. In our analysis we show that the interpretation and consequent representation of the semantics of the original taxonomic relationship of UNSPSC and eCl@ss is an important modeling decision, which eventually affects the usefulness of the resulting ontology.

2 Ontology Engineering Challenges

When taking the categories found in a taxonomy as the basis for the creation of an ontology, we face a fundamental problem: Unless there is a formal definition of the semantics of the taxonomic relationship, the intensions of the category concepts (e.g. the product classes) *are tangled with the interpretation of the taxonomic relationship.* In other words: If we lack a formal definition of either the

hierarchical relationships or the category concepts, then how we understand the taxonomic relationship determines the shape of the category concepts and vice versa. For example, the hierarchies of both UNSPSC and eCl@ss were created on the basis of practical aspects of procurement, treating those commodities that "somehow" belong to a specific category as descendents of this closest category. This makes "ice" a subclass of "non-alcoholic beverages" in UNSPSC and "docking stations" a subcategory of "computers" in eCl@ss. The fatal consequence of a naïve interpretation of the taxonomic relationship as being equivalent to rdfs:subClassOf is obvious: We can no longer use the resulting classes for buying processes, because a search for all instances of "computers" will also return docking stations, and ordering the cheapest available instance of non-alcoholic beverages will very likely return just ice cubes.

Basically there are the three known approaches of transforming a given products taxonomy into an OWL ontology:

- Create one class for each taxonomy category and assume that the meaning of the taxonomic relationship is equivalent to rdfs:subClassOf.
- 2. Create one class for each taxonomy category and represent the taxonomic relationship using an annotation property taxonomySubClassOf.
- 3. Treat the category concepts as instances instead of classes and connect them using a transitive object property taxonomySubClassOf.

Approach 1 is chosen by both available transformations of UNSPSC [Klein, 2002; McGuinness, 2001] into products and services ontologies. While the underlying approach is not necessarily incorrect, it does not yield a products and services ontology, but a set of cost accounting and purchasing management categories. Quite clearly, we want to make the resulting products and services ontology be useful for many different application areas, including the search for products and services, and not limit the usage to spend analysis. Solution 2, represented in OWL Lite and OWL DL, lacks the support for transitivity of the taxonomic relationship, since a property that connects classes with classes can only be an annotation property, which is non-transitive. The downside of solution 3 is that it requires OWL Lite or OWL DL reasoning support in order to process the transitive nature of the property. For scalability reasons, we wanted to find a solution that does not require reasoning capabilities beyond rdfs:subClassOf.

¹ http://www.unspsc.org/

² http://www.eclass-online.com/

For a detailed discussion see [Hepp, 2005a] and [Hepp, 2005b].

In addition to the classes and the hierarchy, the set of properties in product standards contribute a lot to machine readable product description in the Semantic Web, for they provide a standardized representation for concepts as generic as "weight" or as specific as "pump capacity", and should thus also be reused.

3 eClassOWL: A Real Products and Services Ontology in OWL

In this section, we outline how eCl@ss can be transformed into a fully-fledged products and services ontology in OWL. Our approach is as follows (see Figure 1):

- 1. We create *two* separate concepts for (1) the *generic* product or service category and (2) the respective *taxonomy* category.
- We arrange the *taxonomy* concepts in a strict rdfs:subClassOf hierarchy, but not the generic concepts. This allows for capturing the hierarchy of taxonomy concepts without linking the generic concepts to incorrect superordinate classes.
- 3. In order to ease annotation, we create one annotation class for each taxonomy node which becomes an rdfs:subClassOf of *both* the respective generic and the respective taxonomy concept. With this construct, a single rdf:type statement is sufficient to make a product an instance of both the generic and the taxonomy concept.

This yields exactly the distinction we want: When searching for a TV maintenance service, we look for instances of the *generic* class, and when looking for all items that belong to the taxonomy category, we use the taxonomy concept. For example, a store manager might want to find all products in the TV set segment. In this case, he or she also wants to find TV set cabling and maintenance, so the query will be based on the taxonomy concept.




Figure 1: Separating the generic from the taxonomic concept

4 Status of the Project

We have finished the transformation of eCl@ss 5.1 into a products and services ontology. Currently, we are preparing the legal framework and documentation for an official release. The final version will be available at http://www.heppnetz.de/eclassowl.

Acknowledgements: The work presented in this paper is partly funded by the European Commission under the project DIP (FP6 - 507483), the Trans IT Entwicklungs- und Transfercenter at the University of Innsbruck, and Florida Gulf Coast University.

References

- [Fensel, 2001] Dieter Fensel. Ontologies: A Silver Bullet for Knowledge Management and Electronic Commerce. Springer, Berlin etc., 2001.
- [Fensel *et al.*, 2001a] Dieter Fensel, Ying Ding, Borys Omelayenko, Ellen Schulten, Guy Botquin, Mike Brown, and Alan Flett. Product Data Integration in B2B E-Commerce. *IEEE Intelligent Systems*, 16 (4):54-59, 2001.
- [Fensel *et al.*, 2001b] Dieter Fensel, Deborah L. McGuinness, Ellen Schulten, Wee Keong Ng, Ee-Peng Lim, and Guanghao Yan. Ontologies and Electronic Commerce. *IEEE Intelligent Systems*, 16 (1):8-14, 2001.
- [Gupta and Qasem, 2002] Tanya Gupta and Abir Qasem. Reduction of price dispersion through Semantic E-commerce: A Position Paper. In *Proceedings of the Semantic Web Workshop 2002*, pages 1-2, Hawai, USA, May 7, 2002.
- [Hepp, 2005a] Martin Hepp. A Methodology for Deriving OWL Ontologies from Products and Services Categorization Standards. In *Proceedings of the 13th European Conference on Information Systems (ECIS2005)*, pages 1-12, Regensburg, Germany, May 26-28, 2005.
- [Hepp, 2005b] Martin Hepp. Representing the Hierarchy of Industrial Taxonomies in OWL: The gen/tax Approach. In *Proceedings of the ISWC Workshop Semantic Web Case Studies and Best Practices for eBusiness (SWCASE05)*, Galway, Irland, November 7, 2005 (forthcoming).
- [Klein, 2002] Michel Klein. DAML+OIL and RDF Schema representation of UNSPSC. http://www.cs.vu.nl/~mcaklein/unspsc/.
- [McGuinness, 2001] Deborah L. McGuinness. UNSPSC Ontology in DAML+OIL. http://www.ksl.stanford.edu/projects/DAML/UNSPSC.daml.
- [Obrst et al., 2001] Leo Obrst, Robert E. Wray, and Howard Liu. Ontological Engineering for B2B E-Commerce. In *Proceedings of the International Conference on Formal Ontology in Information Systems* (FOIS'01), pages 117-126, Ogunquit, Maine, USA, October 17-19, 2001, SIGART.
- [Omelayenko, 2000] Borys Omelayenko. Integration of Product Ontologies for B2B Marketplaces: A Preview. ACM SIGecom Exchanges archive, 2 (1):19-25, 2000.
- [Omelayenko, 2001] Borys Omelayenko. Ontology Integration Tasks in Business-to-Business E-commerce. In Proceedings of the Fourteenth International Conference on Industrial & Engineering Applications of Artificial Intelligence & Expert Systems, pages 119-124, Budapest, Hungary, June 4-7, 2001.
- [Zhao, 2003] Yuxiao Zhao. Develop the Ontology for Internet Commerce by Reusing Existing Standards. In *Proceedings of the International Workshop on Semantic Web Foundations and Application Technologies* (SWFAT), pages 51-57, Nara, Japan, March 12, 2003.